Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period:	July 1, 2013 - June 30, 2014	Filing Confirmation Number: 0006370538
Filing Deadline:	July 15, 2014	FRN: 0017363995
Filing Date:	07/15/2014 08:31 AM	

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name:	Honeywell International, Inc
Brand Names:	Dolphin
	Intermec
PO Box:	
Street Address:	9680 Old Bailes Road
City:	Fort Mill
State:	SC
Zip Code:	29707

Contact Name:	Mike Robinson
Contact Phone:	(315) 554-6000
Contact Fax:	(315) 554-6393
Contact Email:	Michael.Robinson3@honeywell.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required

language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
 N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.honeywellaidc.com?Catalogdocuments/500032051.pdf

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The reported handsets are sold directly to commercial enterprises for business use, and not directly to consumers, service providers, or in retail stores. Honeywell provides hearing-aid compatibility information on its public website and in product inserts, and HAC ratings are listed on the exterior packaging of handsets certified as hearing-aid compatible.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 1

Report Remarks

Honeywell International, Inc. acquired Intermec Technologies Corp. on 9/17/13, during the Reporting Period.

You have reported the following handset model summary information.
Total number of handsets offered: 27

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	Number	
GSM	7	37%	2	11%	10	53%		19
CDMA	2	17%	1	8%	9	75%		12
WCDMA	7	47%	2	13%	6	40%		15

Handset 1: Honeywell 6000LU

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
6000LU	HD5D6000

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 04/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Honeywell 60SLU

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
60SLU	HD560SLU

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/21/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Honeywell 70ELG0

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
70ELG0	HD570ELG0

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Honeywell 70ELGN

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
70ELGN	HD570ELGN

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Honeywell 7600BG

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
7600BG	HD5760003

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/11 to 12/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 6: Honeywell 7600LG

Handset Maker

Honeywell

Handset Model Name	**FCC ID**

7600LG   HD5760004

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/11 to 12/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Honeywell 7800LC

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
7800LC	HD57800LC

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 8: Honeywell 7800LW

Handset Maker

Honeywell

Handset Model Name   **FCC ID**

7800LW   HD57800LW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Honeywell 9700LUP

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
9700LUP	HD59700LUP

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/12/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Honeywell 9900LUP

Handset Maker

Honeywell

Handset Model Name	**FCC ID**
9900LUP	HD59900LUP

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 12/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Honeywell 99EXLW

Handset Maker

Honeywell

Handset Model Name	FCC ID
99EXLW	HD599EXLW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Intermec 1001CP01C

Handset Maker

Intermec

Handset Model Name	FCC ID
1001CP01C	EHA-1000CP01CX2
CK70 CDMA	EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 13: Intermec 1001CP01U

Handset Maker

Intermec

Handset Model Name	FCC ID
1001CP01U	EHA-1000CP01UX1
CK70 UMTS	EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Intermec CN3 CDMA

Handset Maker

  Intermec

Handset Model Name	**FCC ID**
CN3 CDMA	EHA-02CN3

Air Interfaces/Frequency Bands

  850 MHz CDMA
  1900 MHz CDMA

Dates

  This handset model was offered from: 09/13 to 01/14

Ratings

  M-Rating:

  M-Rating Certification Date:

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

  Version of the ANSI C63.19 standard used during the certification process:

  T-Rating:

  T-Rating Certification Date:

  Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 15: Intermec CN3 GSM

Handset Maker

Intermec

Handset Model Name	**FCC ID**
CN3 GSM	EHA-03CN3

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/13 to 01/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 16: Intermec CN3e CDMA

Handset Maker

Intermec

Handset Model Name	**FCC ID**
CN3e CDMA	EHA-07CN3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 01/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 17: Intermec CN3e GSM

Handset Maker

Intermec

Handset Model Name	**FCC ID**
CN3e GSM	EHA-08CN3

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/13 to 01/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Intermec CN4 CDMA

Handset Maker

Intermec

Handset Model Name	**FCC ID**

CN4 CDMA   EHA-04CN4

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 02/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 19: Intermec CN4 UMTS

Handset Maker

Intermec

Handset Model Name   **FCC ID**

CN4 UMTS   EHA-03CN4

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 02/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 20: Intermec CN4e CDMA

Handset Maker

Intermec

Handset Model Name	FCC ID
CN4e CDMA	EHA-04CN4

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 02/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 21: Intermec CN4e UMTS

Handset Maker

Intermec

Handset Model Name	FCC ID

CN4e UMTS   EHA-03CN4

Air Interfaces/Frequency Bands

   850 MHz GSM
   850 MHz WCDMA
   1900 MHz GSM
   1900 MHz WCDMA

Dates

 This handset model was offered from: 09/13 to 02/14

Ratings

 M-Rating:

 M-Rating Certification Date:

 Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

 Version of the ANSI C63.19 standard used during the certification process:

 T-Rating:

 T-Rating Certification Date:

 Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 22: Intermec CN50

Handset Maker

 Intermec

Handset Model Name	**FCC ID**
CN50	EHA-01CN50

Air Interfaces/Frequency Bands

   850 MHz GSM
   850 MHz CDMA
   850 MHz WCDMA
   1700 MHz WCDMA
   1900 MHz GSM
   1900 MHz CDMA
   1900 MHz WCDMA

Dates

 This handset model was offered from: 09/13 to 06/14

Ratings

 M-Rating: M4

 M-Rating Certification Date: 06/06/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 23: Intermec 1015CP01S

Handset Maker

Intermec

Handset Model Name	FCC ID
1015CP01S	EHA-1015CP01SX1
CN51	EHA-1015CP01SX1

Air Interfaces/Frequency Bands

700 MHz GSM
700 MHz CDMA
700 MHz WCDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: Intermec 1000CP01C

Handset Maker

Intermec

Handset Model Name	FCC ID
1000CP01C	EHA-1000CP01CX2
CN70 CDMA	EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 25: Intermec 1000CP02C

Handset Maker

Intermec

Handset Model Name	FCC ID
1000CP02C	EHA-1000CP01CX2
CN70e CDMA	EHA-1000CP01CX2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 26: Intermec 1000CP02U

Handset Maker

Intermec

Handset Model Name	FCC ID
1000CP02U	EHA-1000CP01UX1
CN70e UMTS	EHA-1000CP01UX1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 27: Intermec 1005CP01

Handset Maker

Intermec

Handset Model Name	FCC ID
1005CP01	EHA-011005CP01
CS40	EHA-011005CP01

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 09/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/30/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Michael Robinson Quality Engineer III
07/15/2014 08:31 AM

FCC Form 655
June 2014